

Design Guidelines - Stages 2 & 3.

1. INTRODUCTION

Waimakariri District Council (WDC) and Ravenswood Developments Ltd (Ravenswood) have in place a number of rules and covenants that effect the development of sections at Ravenswood.

The covenants offer you peace of mind in the knowledge that your neighbours are also required to meet the same minimum standards, protecting the built and landscape features and amenities of the development.

This document summarises the main requirements, but for full details please refer to the relevant sections of the WDC District Plan and covenants applying to the Lot you have purchased.

If we can be of further assistance in helping your design process, please contact us on (03) 375 0010.

2. SECTION SPECIFICATIONS

- All Lots are TC2 equivalent;
- Each Lot will connect to reticulated stormwater;
- Each Lot will connect to reticulated (gravity) wastewater;
- Each Lot will connect to underground power;
- Street lights throughout development;
- Telecommunications provided by fibre (Enable) allowing fast broadband.

3. HOUSE DESIGN RULES

All house designs must meet the requirements detailed below and your plans need to be approved by Ravenswood prior to seeking building consent from WDC.

Requirements have been negotiated with WDC for this development - with the aim of allowing higher density and more affordable housing than the standard zone rules would otherwise permit (in the absence of the Medium Density Residential Standards (MDRS)), whilst at the same time ensuring that street appeal is maintained and neighbours are not unduly impacted.

Please note that the introduction of MDRS **does not** override the requirements of Ravenswood's Covenants and these Design Guidelines. Dwellings must comply with Ravenswood Covenants and these Design Guidelines. Ravenswood may at its sole discretion nominate certain areas within Stage 6 (Lots 1001-1025 & Lot 1103) and Stage 7 (Lots 1273 - 1288) where development in accordance with the MDRS provisions will be allowed despite Ravenswood's Covenants and these Design Guidelines.

In these guidelines "Medium Density Residential Standards" or "MDRS" means the requirements, conditions and permissions set out in Schedule 3A of the Resource Management (Enabling Housing Supply and Other Matters).

Rules for Lots less than 400m²

- Maximum Building Site Coverage: 45%
- Maximum Height: 5.5m
- Minimum Setback from Road Boundary: 2m to dwelling and 3m to garage (garage must be setback a minimum of 1m from dwelling)
- Minimum Setback from Side Boundary:
 - 1m on one side;
 - no limit on other side, except if within 1m of boundary the structure shall not exceed 10m in length without a step in (of minimum 0.5m in depth x 2.5m in length).
- Minimum Setback from Rear Boundary:
 - 2m from any rear bounday.
- Front door must face and be visible from the street.
- Minimum glazing (window) area of 3m² facing the street.
- Single attached garage or carport only facing street no side entry allowed.
- Minimum outdoor living space of 30m² (minimum dimensions of 4m and 6m) with half the area and the access point able to receive sunshine at midday on the shortest day of the year.
- All land between the dwelling and the street, except in areas required for vehicle or pedestrian access shall be landscaped.

Rules for Lots 400m² or greater

- Maximum Building Site Coverage: 35%
- Maximum Height: 8m
- Minimum Setback from Road Boundary: 2m
- Minimum Setback from Side Boundary: no rule
- Minimum Setback from Rear Boundary: no rule

Rules for Lots 400-600m²

As an alternative to the above, Ravenswood has obtained consent for higher site coverage than permitted by the Council district plan if your Lot is in the 400-600m² size range:

- Maximum Building Site Coverage: can be increased to 40% if additional rules met as per below.
- Maximum Height: 5.5m
- Minimum Setback from Road Boundary: 2m to dwelling and 3m to garage or carport (garage or carport must be setback a minimum of 1m from dwelling).
- Minimum Setback from Side Boundary:
 - 1m on one side;
 - no limit on other side, except if within 1m of boundary the structure shall not exceed 10m in length without a step in (of minimum 0.5m in depth x 2.5m in length).
- Front door must face and be visible from the street.
- Minimum glazing (window) area of 3m² facing the street.
- Minimum outdoor living space of 30m² (minimum dimensions of 4m and 6m) with half the area and the access point able to receive sunshine at midday on the shortest day of the year.
- All land between the dwelling and the street, except in areas required for vehicle or pedestrian access shall be landscaped.

Recession Planes

Recession planes apply to all residential Lots to protect your exposure to sun and ensure you are not

excessively shaded-out by neighbouring buildings. The building must fit within a recession plane that starts 2.5m above the boundary, and extends into the Lot at a slope of between 35 and 55 degrees to horizontal (depending on which direction the boundary faces). Refer WDC District Plan or diagrams in Appendix 1-3 for more detail.

Outdoor Storage Area for Rubbish Bins

Ideally the design should allow an area of sufficient size at the side or rear of the dwelling for storage of rubbish bins, of minimum size of 3m x 1.5m.

If this is not possible and bins are to be stored at the front between the dwelling and road boundary, the design must provide for the $3m \times 1.5m$ area to be screened behind 1.8m high timber or trellis fence facing the street.

Other Conditions

- Only one house per Lot with minimum size of 90m² (inclusive of garage).
- No relocatable buildings are allowed (unless otherwise approved by Ravenswood).
- All buildings must be constructed from new or high quality recycled materials (unless otherwise approved by Ravenswood).
- Exterior wall cladding (excluding gable ends and trim) shall be either timber, concrete block, local stone, weatherboards, brick or textured plaster and finished in their natural colour, neutral tones, or coloured earthy mid-tones (unless otherwise approved by Ravenswood).
- There shall be no copper, galvanised, unpainted zincalume, or any other unpainted metal on roof
 material, gutters, down pipes or external cladding. This is to limit the discharge of potentially harmful
 copper or zinc into the downstream aquatic environment, and a condition of the development's
 stormwater discharge consent.
- On-site maneuvering shall be provided on Lots 470-493 (Stage 3C) to ensure that no vehicle needs to reverse onto a Collector Road.

4. FENCING REQUIREMENTS

- Side and rear fences must be erected prior to any building construction unless otherwise agreed by Rayenswood.
- All rear and side boundaries should be fenced to a height of 1.8m. A lower height at the street frontage of 1.2m transitioning up to a 1.8m height (for a minimum of 2m from the road boundary) is required.
- There shall be no fencing across the street frontage of any Lot unless otherwise approved by Ravenswood. It is a WDC requirement that for all Lots less than 400m² or greater than 35% site coverage, any front fencing must be no higher than 1.2m and have a minimal visual permeability/openness of 50% (e.g. Warner fence).
- Any Lot which abounds a reserve must be fenced to a maximum height of 1.2m and have a minimum visual permeability/openness of 50% (e.g. Warner fence) except where required to screen a bin storage area as detailed in Section 3 and unless otherwise approved by Ravenswood. This is a mandatory WDC requirement for all Lots less than 400m² or greater than 35% site coverage.
- All fencing proposed shall be shown on the landscape or site plan provided as part of the plan approval process.

5. LANDSCAPING REQUIREMENTS

A landscape plan must be prepared and submitted with house plans as part of the Ravenswood approval process detailed in Section 6.

Ravenswood is generally expecting to see a degree of attractive landscaping at the front of all houses facing the street to help create an appealing streetscape for all residents. For all Lots less than 400m² or greater than 35% site coverage, WDC requires all land between the dwelling and the street, except in areas required for vehicle or pedestrian access, to be landscaped.

There are limits on how high any tree or shrub can be depending on the distance from the boundary. Please see the Land Covenants for further details.

Landscaping is to be completed within three months of the dwelling receiving code of compliance.

PLAN APPROVAL PROCESS

Applying for Approval

An application for design approval must be submitted to Ravenswood prior to applying for your building consent to the Waimakariri District Council. A bond of \$2,000 is payable to Ravenswood Developments Ltd when an application for design approval is submitted.

In the event that the design approval application and bond payment are not submitted prior to the start of construction, the Developer reserves the right to charge a \$250 administration fee to process the delayed development approval application.

Sample documents to assist you in preparing your design application can be found on the Ravenswood website at www.ravenswood.co.nz/documentation:

- Application cover letter;
- Approval checklist;
- Exterior finishes checklist;
- Sample building plans;
- Construction Bond Agreement.

Refund of Bond

The bond will be returned on confirmation from Ravenswood that no amounts are owing and on completion of the following:

- The building must be completed and site landscaped in accordance with the approved plans.
- The site is left in a tidy condition.
- Any remedial or reinstatement works associated with the construction (e.g. kerbing) have been completed.
- All covenants and conditions have been complied with throughout the construction process.

Where the above requirements have not been met, Ravenswood may recover the cost for repairs, correspondence and administration from the bond prior to releasing it to the Lot owner.

The Lot owner should advise Ravenswood when they consider the works are complete and the bond is due for refund. Ravenswood will complete an inspection as soon as possible, and if in agreement refund the bond promptly.

7. RULES DURING CONSTRUCTION OF YOUR HOUSE

These are fully detailed in the Building Covenants. In summary:

- Construction noise must be limited to reasonable hours and not be at an unacceptable level.
- Side and rear fences must be erected prior to any building construction.
- Erosion and sediment control measure must be in place.
- No animals on site during construction.
- Appropriate rubbish disposal measures must be in place.
- Limits on washing down construction vehicles and requirements to handle any spillage.
- Limits on builders signage.

8. BUILDING & SELLING


Construction of a dwelling house must commence within two years of settlement of purchase, unless otherwise approved by Ravenswood.

No Lot shall be on-sold to another party until a house has been constructed, unless otherwise approved by Ravenswood.

DISCLAIMER

The information contained herein is true and correct to the best of Ravenswood Developments Limited's knowledge. However, Ravenswood Developments Limited, its directors, employees, advisers and agents do not make any representation or warranty, express or implied, as to the accuracy, reliability or completeness of the information contained in this document. All compliance with covenants, consent conditions, building regulations, territorial authority requirements and any other statutory requirements is the responsibility of each Lot Owner and you should seek your own professional advice.


APPENDIX 1: DIAGRAM SHOWING MAIN RULES Lots of less than 400m² area






This is not an exhaustive list and should be read in conjunction with the District Plan rules, any subsequent land use consent, and the Ravenswood Land Covenants and Design Guidelines

Exterior Materials: Exterior wall cladding (excluding gable ends and trim) shall be either timber, concrete block, — local stone, weatherboards, brick or textured plaster, and shall be finished in their natural colours, neutral tones, or coloured earthy mid-tones. Roofs of all structures shall be finished in their natural colours or coloured dark tones




APPENDIX 2: DIAGRAM SHOWING MAIN RULES

Lots of 400m² or greater and no more than 35% site coverage






Exterior Materials: Exterior wall cladding (excluding gable ends and trim) shall be either timber, concrete block, local stone, weatherboards, brick or textured plaster, and shall be finished in their natural colours, neutral tones, or coloured earthy mid-tones. Roofs of all structures shall be finished in their natural colours or coloured dark tones




GAOR

APPENDIX 3: DIAGRAM SHOWING MAIN RULES

Lots of 400m² 600m² and 35-40% site coverage





Exterior Materials: Exterior wall cladding (excluding gable ends and trim) shall be either timber, concrete block, local stone, weatherboards, brick or textured plaster, and shall be finished in their natural colours, neutral tones, or coloured earthy mid-tones. Roofs of all structures shall be finished in their natural colours or coloured dark tones

RAVENSWOOD

This is not an exhaustive list and should be read in conjunction with the District Plan rules, any subsequent land use consent, and the Ravenswood Land Covenants and Design Guidelines